

# Thistle MultiFinish

## Installation guidance - times are approximate

**0 mins**



- Add approx 11.5 litres of clean water per 25kg bag to mixing bucket. Gradually add the plaster to water whilst mixing



- Complete 1<sup>st</sup> coat (1mm thick)

**20 mins**



- Complete 2<sup>nd</sup> coat (total 2mm thick)

**45 mins**



- Closing in

**60 mins**

**85 mins**



- 1<sup>st</sup> trowel

**105 mins**



- 2<sup>nd</sup> trowel

**120 mins**



- Final trowel (lubricated with minimal water)

Times and processes are given as guidance. On site practice may vary.



Finishing times are reduced by suction



Finishing times are extended by cold weather conditions